1 106 monosilicide and disilicide USPAT; US-PGPUB	2003/03/19 14:03 2003/03/19 14:03 2003/03/19 14:04 2003/03/19 14:04 2003/03/19 14:04 2003/03/19 14:07
2 152 "mono-silicide" or monosilicide USPAT; US-PGPUB 3 1455 "di-silicide" or disilicide USPAT; US-PGPUB 4 130 ("mono-silicide" or monosilicide) and ("di-silicide" or disilicide) USPAT; US-PGPUB 5 27457 xenon USPAT; 6 5 (("mono-silicide" or monosilicide) and ("di-silicide" or disilicide" or disilicide) and xenon USPAT; US-PGPUB 7 28036 silicid\$ USPAT; US-PGPUB 8 8 xenon with silicid\$	2003/03/19 14:04 2003/03/19 14:04 2003/03/19 14:04
3 1455 "di-silicide" or disilicide 4 130 ("mono-silicide" or monosilicide) and ("di-silicide" or USPAT; US-PGPUB 5 27457 xenon USPAT; 6 5 (("mono-silicide" or monosilicide) and ("di-silicide" or USPAT; US-PGPUB 7 28036 ("mono-silicide" or monosilicide) and ("di-silicide" or USPAT; US-PGPUB 8 8 xenon with silicid\$ US-PGPUB US-PG	2003/03/19 14:04 2003/03/19 14:04 2003/03/19 14:04
3 1455 "di-silicide" or disilicide US-PGPUB USPAT; US-PGPUB US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB	2003/03/19 14:04 2003/03/19 14:04 2003/03/19 14:04
4 130 ("mono-silicide" or monosilicide) and ("di-silicide" or disilicide) 5 27457 xenon USPAT; 6 5 (("mono-silicide" or monosilicide) and ("di-silicide" or USPAT; disilicide) and xenon USPAT; 7 28036 silicid\$ 8 xenon with silicid\$ US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB	2003/03/19 14:04 2003/03/19 14:04
4 130 ("mono-silicide" or monosilicide) and ("di-silicide" or disilicide) 5 27457 xenon USPAT; 6 5 (("mono-silicide" or monosilicide) and ("di-silicide" or USPAT; disilicide) and xenon USPAT; 7 28036 silicid\$ 8 xenon with silicid\$ US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB	2003/03/19 14:04 2003/03/19 14:04
disilicide)	2003/03/19 14:04
disilicide)	2003/03/19 14:04
5 27457 xenon USPAT; US-PGPUB 6 5 (("mono-silicide" or monosilicide) and ("di-silicide" or USPAT; disilicide)) and xenon USPAT; 7 28036 silicid\$ USPAT; US-PGPUB 8 8 xenon with silicid\$ USPAT;	
6 5 (("mono-silicide" or monosilicide) and ("di-silicide" or disilicide)) and xenon US-PGPUB 7 28036 silicid\$ USPAT; 8 8 xenon with silicid\$ USPAT;	
6 5 (("mono-silicide" or monosilicide) and ("di-silicide" or disilicide)) and xenon USPAT; 7 28036 silicid\$ USPAT; 8 8 xenon with silicid\$ USPAT;	2003/03/19 14:07
disilicide)) and xenon US-PGPUB 28036 silicid\$ USPAT; US-PGPUB xenon with silicid\$ USPAT;	1 2000, 00, 00
7 28036 silicid\$ USPAT; US-PGPUB 8 8 xenon with silicid\$ USPAT;	
8 8 xenon with silicid\$ US-PGPUB USPAT;	2003/03/19 14:08
8 8 xenon with silicid\$ USPAT;	
	2003/03/19 14:08
US-PGPUB	2000,00,13 100
9 8 (xenon with silicid\$) not ((("mono-silicide" or monosilicide) USPAT;	2003/03/19 14:09
and ("di-silicide" or disilicide)) and xenon) US-PGPUB	2000,00,13 11.03
10 6923 "xenon lamp" USPAT;	2003/03/19 14:09
US-PGPUB	2000,00,13 1 1103
11 4449 rta USPAT;	2003/03/19 14:09
US-PGPUB	2003/03/13 11.03
12 31 "xenon lamp" and rta and silicid\$ USPAT;	2003/03/19 14:39
US-PGPUB	2005/05/15 1 (.55
13 6541 xenon EPO; JPO;	2003/03/19 14:40
DERWENT;	2000/05/13 11:10
IBM_TDB	
14 492 rta EPO; JPO;	2003/03/19 14:40
DERWENT;	2000/05/15 11:10
IBM_TDB	
15 21916 silicid\$ EPO; JPO;	2003/03/19 14:40
DERWENT;	2003/03/13 11:10
IBM_TDB	
16 0 xenon and rta and silicid\$ EPO; JPO;	2003/03/19 14:40
DERWENT;	
IBM_TDB	
17 13 xenon and silicid\$ EPO; JPO;	2003/03/19 14:40
DERWENT;	2003/03/13 11:10
IBM_TDB	
- 1410 (438/627,643,653).CCLS. USPAT;	2003/03/19 14:02
US-PGPUB	2000/00/10 11.02
- 497 (438/663,664).CCLS. USPAT;	2003/03/18 18:35
US-PGPUB	2005,05,10 10.55
- 30 ((438/627,643,653).CCLS.) and xenon USPAT;	2003/03/18 18:40
US-PGPUB	2003/03/10 10.40
- 10 xenon and ((438/663,664).CCLS.) USPAT;	2003/03/18 18:40
US-PGPUB	1 2000/00/10 10:10

(FILE 'HOME' ENTERED AT 17:01:34 ON 19 MAR 2003)

FILE 'INSPEC' ENTERED AT 17:01:56 ON 19 MAR 2003 E SILICIDE+ALL/CT

- L1 7805 SILICIDE
- L2 2796 RTA
- L3 16397 XENON
- L4 0 L1 AND L2 AND L3

DERWENT-ACC-NO: 1997-010536

DERWENT-WEEK: 199701

COPYRIGHT 1999 DERWENT INFORMATION LTD

TITLE: Forming of integrated circuits of micro-circuits with Schottky diodes - includes ion implantation in contact openings in areas for high-barrier Schottky diodes by acceptor dopant and forming of contacts of titanium di-silicide

INVENTOR: BONDAR, D M; KASTRYULEV, A N; KOROLKOV, S N

PATENT-ASSIGNEE: ELTRN TECH RES INST[ELTER]

PRIORITY-DATA: 1991SU-4916949 (March 5, 1991)

PATENT-FAMILY:

PUB-NO PUB-DATE LANGUAGE

PAGES MAIN-IPC

SU 1814432 A1 April 20, 1996 N/A

005 H01L 021/265

APPLICATION-DATA:

PUB-NO APPL-DESCRIPTOR APPL-NO

APPL-DATE

SU 1814432A1 N/A

1991SU-4916949 March 5, 1991

INT-CL (IPC): H01L021/265

ABSTRACTED-PUB-NO: SU 1814432A

BASIC-ABSTRACT: Low-ohmic areas of a n+

concealed layer are formed in an

initial silicon substrate and an epitaxial layer is

grown to a thickness of

1.5-2.0 mum, before photolithographic processing,

oxidn., diffusion and ion

implantation are used to form active and passive

elements of integrated

micro-circuits. Contact openings in a dielectric

coating are uncovered to the

ohmic contact areas and Schottky diodes and, after

removal of the photoresist,

photolithographic processing is carried out, to form

areas of high-barrier

diodes and boron is implanted with an energy of 30

KeV and an ion concn. of 4.5

x 1012 cm-2. A titanium layer is applied by

magnetron atomisation and titanium

disilicide is formed during simultaneous

electro-activation of the boron ions

by irradiation using a non-coherent light flow of

xenon lamps with a power of

50 Joules/cm-2.. Siliciding and electro-activation

can also be carried out by

thermo-vacuum annealing at 670deg.C for 30 mins.

during a pressure of 10-6 mm.

of mercury. The titanium layer is removed from the

dielectric coating and contact electrodes and inter-connections are formed.

USE - Used for mfr. of bipolar micro-circuits with Schottky diodes.

ADVANTAGE - Better quality and reliability of micro-circuit are attained.

CHOSEN-DRAWING: Dwg.0/0

TITLE-TERMS:

FORMING INTEGRATE CIRCUIT MICRO CIRCUIT SCHOTTKY DIODE ION IMPLANT CONTACT OPEN AREA HIGH BARRIER SCHOTTKY DIODE ACCEPT DOPE FORMING CONTACT TITANIUM DI SILICIDE

DERWENT-CLASS: L03 U11

CPI-CODES: L04-C02B; L04-C06; L04-C16;

EPI-CODES: U11-C02B2; U11-C02J5;

SECONDARY-ACC-NO:

CPI Secondary Accession Numbers: C1997-002767

Non-CPI Secondary Accession Numbers:

N1997-009303